(in accordance with Regulation (EU) 2015/830)

0100CM-CTX-100 Oxipool



Version: 3

Revision date: 27/03/2020

Page 1 of 12 Print date: 27/03/2020

SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: CTX-100 Oxipool Product Code: 0100CM

1.2 Relevant identified uses of the mixture and uses advised against.

Desinfectant for pool water.

Uses advised against:

Company:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

FLUIDRA COMERCIAL ESPAÑA

Address: City: Province: Telephone: Fax:	Pintor Velazquez, 10 08213 Polinyà (Barcelona) España Barcelona telf: 902 42 32 22 +34 93 713 41 11
Telenhone:	tolf: 002 42 32 22
Fax:	+34 93 713 41 11
E-mail:	fds@inquide.com
Web:	www.fluidra.es

1.4 Emergency telephone number:

Anti poisoning centre: ITALY (Rome): 06/305 43 43 ITALY (Milan): 02/66 10 10 29 SPAIN: +34 91 562 04 20 FRANCE (Paris): 01 40 05 48 48 FRANCE (Tolousse): 05 61 77 74 47 FRANCE (Marseille): 04 91 75 25 25 PORTUGAL: 808 250 143 BELGIQUE (Brussel): (+34) 070 245 245

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the mixture.

In accordance with Regulation (EU) No 1272/2008: Acute Tox. 4 : Harmful if swallowed. Aquatic Chronic 3 : Harmful to aquatic life with long lasting effects. Eye Dam. 1 : Causes serious eye damage. Skin Corr. 1B : Causes severe skin burns and eye damage.

2.2 Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008: Pictograms:



(in accordance with Regulation (EU) 2015/830)

0100CM-CTX-100 Oxipool



Version: 3

Ρ

Revision date: 27/03/2020

Page 2 of 12 Print date: 27/03/2020

	H314	Causes severe skin burns and eye damage.
	H412	Harmful to aquatic life with long lasting effects.
s S	tatements:	
	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P330+P3	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+P361+P3	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or
	shower].	
	P305+P351+P3	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Con	tinue rinsing.
	P310	Immediately call a POISON CENTER or a doctor
	P501	Dispose of contents/container in accordance with applicable regulations.

EUH statements:

EUH208 Contains dipotassium peroxodisulphate; potassium persulphate. May produce an allergic reaction.

Contains:

potassium peroximonosulphate

2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	specific concentration limit
CAS No: 70693-62-8 EC No: 274-778-7 Registration No: 01- 2119485567-22-XXXX	potassium peroximonosulphate	80 - 100 %	Acute Tox. 4, H302 - Aquatic Chronic 3, H412 - Eye Dam. 1, H318 - Skin Corr. 1B, H314	-
Index No: 005-007- 00-2 CAS No: 10043-35-3 EC No: 233-139-2 Registration No: 01- 2119486683-25-XXXX	[4] boric acid	0.1 - 5.5 %	Repr. 1B, H360FD	Repr. 1B, H360FD: C ≥ 5,5 %

(in accordance with Regulation (EU) 2015/830)

0100CM-CTX-100 Oxipool



Version: 3

Revision date: 27/03/2020

Page 3 of 12 Print date: 27/03/2020

Index No: 016-061- 00-1 CAS No: 7727-21-1 EC No: 231-781-8 Registration No: 01- 2119495676-19-XXXX	dipotassium peroxodisulphate, potassium persulphate	1 - 10 %	Acute Tox. 4 *, H302 - Eye Irrit. 2, H319 - Ox. Sol. 3, H272 - Resp. Sens. 1, H334 - STOT SE 3, H335 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-
CAS No: 7760-50-1 EC No: 231-851-8	Tetra (carbonate (2 -)) dihidroxipentamagnesio	1 - 10 %	Eye Irrit. 2, H319	-

(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

* See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

[1] Substance with a Community workplace exposure limit (see section 8.1).

[4] Substance included in the list established under Article 59, paragraph 1, REACH (Candidate or subject to authorization).

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eve contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Harmful Product, prolonged exposure due to inhalation may cause anaesthetic effects and the need for immediate medical assistance.

Contact with eyes may cause irreversible damage.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract.

SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

(in accordance with Regulation (EU) 2015/830)

0100CM-CTX-100 Oxipool



Version: 3

Revision date: 27/03/2020

Page 4 of 12 Print date: 27/03/2020

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the mixture.

Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

6.3 Methods and material for containment and cleaning up.

The contaminated area should be immediately cleaned with an appropriate de-contaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8. For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8. Never use pressure to empty the containers. They are not pressure-resistant containers. In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers at room temperature, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s). None in particular.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

(in accordance with Regulation (EU) 2015/830)

0100CM-CTX-100 Oxipool



Version: 3 Revision date: 27/03/2020 Page 5 of 12 Print date: 27/03/2020

8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values. Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
potassium peroximonosulphate	DNEL (Workers)	Inhalation, Long-term, Local effects	0,28 (mg/m ³)
CAS No: 70693-62-8 EC No: 274-778-7	DNEL (Workers)	Inhalation, Long-term, Systemic effects	0,28 (mg/m ³)
boric acid CAS No: 10043-35-3 EC No: 233-139-2	DNEL (Workers)	Inhalation, Long-term, Systemic effects	8,3 (mg/m ³)
dipotassium peroxodisulphate, potassium persulphate CAS No: 7727-21-1	DNEL (Workers)	Inhalation, Long-term, Local effects	2,06 (mg/m ³)
EC No: 231-781-8	DNEL (Workers)	Inhalation, Long-term, Systemic effects	2,06 (mg/m ³)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated. DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

CAS: 70693-62-8 TLV TWA - 10 mg/m3

CAS: 7727-21-1 TLV TWA - 0,1 mg/m3 **8.2 Exposure controls.**

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %		
Uses:	Desinfectant for pool water.		
Breathing protect	ion:		
PPE:	Particle filter mask		
Characteristics:	«CE» marking, category III. Made of filtering material, it covers nose, mouth and chin.		
CEN standards:	EN 149		
Maintenance:	Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use.		
Observations:	Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment.		
Filter Type needed:	P2		
Hand protection:			
PPE: Characteristics:	Protective gloves against chemicals. «CE» marking, category III.		
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420		
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.		
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.		
Material:	Butyl Breakthrough time > 480 Material thickness 0,5 (mm):		
Eye protection:			
PPE:	Protective goggles with built-in frame.		
Characteristics:	«CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.		
CEN standards:	EN 165, EN 166, EN 167, EN 168		

(in accordance with Regulation (EU) 2015/830)

0100CM-CTX-100 Oxipool



Version: 3

Revision date: 27/03/2020

Page 6 of 12 Print date: 27/03/2020

Maintenance: Observations:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses,
Chin protostion.	scraping etc.
Skin protection:	
PPE:	Chemical protective clothing
Characteristics:	«CE» marking, category III. Clothing should fit properly. The level of protection must be set according to a test parameter called BT (Breakthrough Time), which indicates how long it takes for the chemical to pass through the material.
CEN standards:	EN 464,EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.
Observations:	The protective clothing's design should facilitate correct positioning, staying in place without moving for the period of use expected, bearing in mind environmental factors as well as any movement or position the user might adopt while carrying out the activity.
PPE:	Work footwear.
Characteristics:	«CE» marking, category II.
CEN standards:	EN ISO 13287, EN 20347
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Appearance: Tablets Colour: White Odour:Odourless Odour threshold:N.A./N.A. pH:2 - 3 (1%) Melting point:N.A./N.A. Boiling Point: N.A./N.A. Flash point: N.A./N.A. Evaporation rate: N.A./N.A. Inflammability (solid, gas): N.A./N.A. Lower Explosive Limit: N.A./N.A. Upper Explosive Limit: N.A./N.A. Vapour pressure: N.A./N.A. Vapour density:N.A./N.A. Relative density:1,113 g/cm³ Solubility:N.A./N.A. Liposolubility: N.A./N.A. Hydrosolubility: N.A./N.A. Partition coefficient (n-octanol/water): N.A./N.A. Auto-ignition temperature: N.A./N.A. Decomposition temperature: N.A./N.A. Viscosity: N.A./N.A. Explosive properties: N.A./N.A. Oxidizing properties: Si

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

9.2 Other information.

Pour point: N.A./N.A. Blink: N.A./N.A. Kinematic viscosity: N.A./N.A. N.A./N.A.= Not Available/Not Applicable due to the nature of the product

(in accordance with Regulation (EU) 2015/830)

0100CM-CTX-100 Oxipool



Version: 3

Revision date: 27/03/2020

Page 7 of 12 Print date: 27/03/2020

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Unstable in contact with:

- Bases.

10.3 Possibility of hazardous reactions.

Neutralization can occur on contact with bases. **10.4 Conditions to avoid.**

- Avoid contact with bases.

- Avoid contact with bases.

10.5 Incompatible materials.

Avoid the following materials:

- Bases.

10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- Corrosive vapors or gases.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on toxicological effects.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

Toxicological information about the substances present in the composition.

Nama	Acute toxicity				
Name	Туре	Test	Kind	Value	
	Oral	LD50	Rat	200-2000 mg/kg	
potassium peroximonosulphate	Dermal	LC50	Rat	> 2000 mg/kg	
CAS No: 70693-62-8 EC No: 274-778-7	Inhalation	LC50	Rat	> 5 mg/l (4 h)	
		LD50	Rat	3500-4100 mg/kg	
		LD50	Rat	2660 mg/kg bw [1]	
boric acid	Oral	[1] JAMA, Journal of the American Medical Association. Vol. 128, Pg. 266, 1945			
	Dermal	LD50	Rabbit	>2000 mg/kg	
CAS No: 10043-35-3 EC No: 233-139-2	Inhalation	LC50	Rat	> 2 mg/l	
		LD50	Rat	1130 mg/kg bw [1]	
dipotassium peroxodisulphate, potassium	Oral			cute and 28-day subacute toxicity Study no. ICG/T-79-024, 1979.	
persulphate		LD50	Rabbit	10000 mg/kg bw [1]	
	Dermal		• •	te and 28-day subacute toxicity Study no. ICG/T-79-024, 1979.	
CAS No: 7727-21-1 EC No: 231-781-8	Inhalation				

a) acute toxicity;

Product classified:

Acute toxicity (Oral), Category 4: Harmful if swallowed.

(in accordance with Regulation (EU) 2015/830)

0100CM-CTX-100 Oxipool



Version: 3 Revision date: 27/03/2020 Page 8 of 12 Print date: 27/03/2020

b) skin corrosion/irritation;Product classified:Skin Corrosive, Category 1B: Causes severe skin burns and eye damage.

c) serious eye damage/irritation; Product classified: Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation; Based on available data, the classification criteria are not met.

e) germ cell mutagenicity; Not conclusive data for classification.

f) carcinogenicity; Not conclusive data for classification.

g) reproductive toxicity; Based on available data, the classification criteria are not met.

h) STOT-single exposure; Based on available data, the classification criteria are not met.

i) STOT-repeated exposure; Not conclusive data for classification.

j) aspiration hazard; Not conclusive data for classification.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

Name	Ecotoxicity			
Name	Туре	Test	Kind	Value
	Fish	LC50 LC50	Fish Fish	1.09 mg/l (96 h) 53 mg/l (96 h)
potassium peroximonosulphate	Aquatic invertebrates	EC50	Daphnia	3.5 mg/l (48 h)
CAS No: 70693-62-8 EC No: 274-778-7	Aquatic plants	EC50	Algae	1 mg/l (72 h)
		LC50 LC50	Fish Fish	74 mg/l (96 h) 487 mg/l (96 h) [1]
boric acid	Fish	Boron, Mol and Coho S 373. Hamil to Three Er	ybdenum, and Seleni Salmon. Arch.Enviror	,
	Aquatic invertebrates	LC50 LC50	Daphnia Crustacean	133 mg/l (48 h) 180 mg/l (48 h) [1]

(in accordance with Regulation (EU) 2015/830)

0100CM-CTX-100 Oxipool



Version: 3

Revision date: 27/03/2020

Page 9 of 12 Print date: 27/03/2020

		 Gersich, F.M. 1984. Evaluation of a Static Renewal Chronic Toxicity Test Method for Daphnia magna Straus Using Boric Acid. Environ.Toxicol.Chem. 3(1):89-94. Lewis, M.A., and L.C. Valentine 1981. Acute and Chronic Toxicities of Boric Acid to Daphnia magna Straus. Bull.Environ.Contam.Toxicol. 27(3):309-315
CAS No: 10043-35-3 EC No: 233-139-2	Aquatic plants	
	Fish	LC50 Oncorhynchus 76.3 mg/l [1] mykiss
dipotassium peroxodisulphate, potassium		[1] US EPA TG OPP 72-1
persulphate	Aquatic	EC50 Daphnia magna 120 mg/l [1]
	invertebrates	[1] US EPA TG OPP 72-2
CAS No: 7727-21-1 EC No: 231-781-8	Aquatic plants	

12.2 Persistence and degradability.

There is no information available on the degradability of the substances present. No information is available regarding the degradability of the substances present.No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potencial.

No information is available regarding the bioaccumulation of the substances present.

12.4 Mobility in soil.

No information is available about the mobility in soil. The product must not be allowed to go into sewers or waterways. Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13 DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

Sea: Transport by ship: IMDG.

Transport documentation: Bill of lading

Air: Transport by plane: ICAO/IATA.

Transport document: Airway bill.

(in accordance with Regulation (EU) 2015/830)

0100CM-CTX-100 Oxipool



Version: 3 Revision date: 27/03/2020

Page 10 of 12 Print date: 27/03/2020

14.1 UN number. UN No: UN3260

14.2 UN proper shipping name.

Description: ADR: UN 3260, CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (CONTAINS POTASSIUM PEROXIMONOSULPHATE), 8, PG II, (E) UN 3260, CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (CONTAINS POTASSIUM PEROXIMONOSULPHATE), 8, PG II IMDG:

UN 3260, CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (CONTAINS POTASSIUM ICAO/IATA: PEROXIMONOSULPHATE), 8, PG II

14.3 Transport hazard class(es).

Class(es): 8

14.4 Packing group.

Packing group: II

14.5 Environmental hazards.

Marine pollutant: No

14.6 Special precautions for user.

Labels: 8



Hazard number: 80 ADR LQ: 1 kg IMDG LQ: 1 kg ICAO LQ: 5 kg

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-B Proceed in accordance with point 6. IMDG Code segregation group: 1 Acids

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code. The product is not transported in bulk.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

Information related to Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products:

Product Type		Group	
Disinfectants and algaecides not intended for direct application to humans or animals		Disinfectants	
Active substances		Concentration %	
potassium peroximonosulphate CAS No: 70693-62-8 EC No: 274-778-7		80 - 100	

(in accordance with Regulation (EU) 2015/830)

0100CM-CTX-100 Oxipool



Version: 3

Revision date: 27/03/2020

Page 11 of 12 Print date: 27/03/2020

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles:

Designation of the substance, of the	Conditions of restriction
group of substances or of the mixture	
30. Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as toxic to reproduction category 1A or 1B (Table 3.1) or toxic to reproduction category 1 or 2 (Table 3.2) and listed as follows: - Reproductive toxicant category 1A adverse effects on sexual function and fertility or on development (Table 3.1) or reproductive toxicant category 1 with R60 (May impair fertility) or R61 (May cause harm to the unborn child) (Table 3.2) listed in Appendix 5 - Reproductive toxicant category 1B adverse effects on sexual function and fertility or on development (Table 3.1) or reproductive toxicant category 2 with R60 (May impair fertility) or R61 (May cause harm to the unborn child) (Table 3.2) listed in Appendix 6	 Shall not be placed on the market, or used, as substances, as constituents of other substances, or, in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

Kind of pollutant to water (Germany): Not dangerous to water. (Autoclassified according to the AwSV Regulations)

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

- H272 May intensify fire; oxidiser.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H360FD May damage fertility. May damage the unborn child.
- H412 Harmful to aquatic life with long lasting effects.

Classification codes:

(in accordance with Regulation (EU) 2015/830)

0100CM-CTX-100 Oxipool



Version: 3 Revision date: 27/03/2020 Page 12 of 12 Print date: 27/03/2020

Acute Tox. 4 : Acute toxicity (Oral), Category 4 Aquatic Chronic 3 : Chronic effect to the aquatic environment, Category 3 Eye Dam. 1 : Serious eye damage, Category 1 Eye Irrit. 2 : Eye irritation, Category 2 Ox. Sol. 3 : Oxidising solid, Category 3 Repr. 1B : Reproductive toxicant, Category 1B Resp. Sens. 1 : Respiratory sensitiser, Category 1 STOT SE 3 : Specific target organ toxicity following a single exposure, Category 3 Skin Corr. 1B : Skin Corrosive, Category 1B Skin Irrit. 2 : Skin irritant, Category 2 Skin Sens. 1 : Skin sensitiser, Category 1

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
- AwSV: Facility Regulations for handling substances that are hazardous for the water.
- CEN: European Committee for Standardization.
- DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.
- DNEL Derived No Effect Level Jevel of a
- DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.
- EC50: Half maximal effective concentration.
- PPE: Personal protection equipment.
- IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization.
- IMDG: International Maritime Code for Dangerous Goods.
- LC50: Lethal concentration, 50%.
- LD50: Lethal dose, 50%.
- RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.
- WGK: Water hazard classes.

Key literature references and sources for data: http://eur-lex.europa.eu/homepage.html http://echa.europa.eu/ Regulation (EU) 2015/830. Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.